

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND  
PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE  
APPROPRIATED.

Date of first receipt and filing in State Engineer's office NOV 2 1937

Returned to applicant for correction

Corrected application filed

The undersigned ROSA S. DOTTA AND DAVID DOTTA, her husband, and the  
(Name of applicant.)

City of Elko, of Elko, County of Elko

State of Nevada, hereby makes application for permis-  
sion to change the place and manner of use

of water heretofore appropriated under Permit No. 4070

(State nature of right that is the basis of this

Certificate No. 657

(application, i. e., vested, decreed or permitted right.)

1. The source of water supply is ELKO HOT SPRING
2. The quantity of water desired to be changed .0537  
(Acre feet, second feet.)
3. The water is to be used for bathing purposes
4. The water heretofore used for irrigation
5. Place of use under existing appropriation 5.37 acres in SW $\frac{1}{4}$  of NW $\frac{1}{4}$   
(Under irrigation give number acres)

Sec. 22, T. 34 N., R. 55 East, M. D. M.

and description in respect to Government Land Survey; under any other use give location as being within a 40-acre subdivision.)

6. Proposed place of use under this application concrete pools in  
(Under irrigation give number acres)

SW $\frac{1}{4}$  of NW $\frac{1}{4}$  Section 22, T. 34 N., R. 55 East M. D. M.

and description in respect to Government Land Survey; under any other use give location as being within a 40-acre subdivision.)

7. The water is to be diverted from its source at the following point:

SE $\frac{1}{4}$  of NE $\frac{1}{4}$  Sec. 21, T. 34 N., R. 55 E., at 382 ft. N. 40° 58' W. from the  
E.  $\frac{1}{4}$  corner of said section.  
(Describe as being within a 40-acre subdivision of public survey or by course and distance to a section corner.)

8. The existing point of diversion under the proposed appropriation is as follows: same as in 7 above  
(If point of diversion is not changed do not answer.)

9. Number and kind of animals proposed to be watered

10. Use will begin about April 1 and end about October 1 of each year.  
(Month) (Month)

11. The water has been used heretofore during the months of April 1 to October 1 of each year

12. Remarks Due to increased use of pools under municipal operation it is necessary to change the water frequently and also to maintain a flow through the pools to maintain the desired temperature. To make the changes without loss of bathing time it is necessary to store water in the spring area between the filling periods. It is proposed to store the water under this application for use as herein stated. Storage periods under proposed use will not exceed 2 days.

13. Description of ~~proposed~~ works tunnel from spring 210 feet long; with concrete box at portal, 3 feet wide, 4 feet deep; 260 feet of wood flume with branches to 3 concrete pools; No. 1 79.5 x 38.7 feet, 5.4 to 7.00 feet deep; No. 2, 59.2x28.6 feet, 4.8 to 6.6 feet deep; No. 3, 21x16 feet, 2 to 2.2 feet deep; 290 feet drain ditch. All of which have been constructed and are in use under Permit No. 4180.

14. Estimated cost of works \$3,000.00

15. Estimated time required to construct the works is (Constructed)

ATTEST:

CITY OF ELKO Applicant

Lucille Johnston

By David Dotta

Mayor.

Clerk.

DENIAL

OF STATE ENGINEER

(Seal)

Rosa S. Dotta

David Dotta

Compared R.M.G.C.T.  
Map Filed NOV 2 1937


Ruling 1342, dtd 2-6-69

Protested Dec. 30, 1937 by Ellen, James & Charles Russell.

This is to certify that I have examined the foregoing application, and do hereby deny the same, subject to the following limitations and conditions: on the grounds that the applicant or his successors in interest have failed to submit additional information and the approval of this application without the information requested would be detrimental to the public welfare.

WITNESS MY HAND AND SEAL this 6th day

of February, 1969

  
John D. Stebbins  
State Engineer.